

Nutritional Assessment Questionnaire

Name: _____

Date: ____/____/____

Birthdate: _____

Gender: _____

Please list your five major health concerns in order of importance:

1. _____
2. _____
3. _____
4. _____
5. _____

PART I

Read the following questions and fill in the number that applies:

KEY: 0 (or leave blank) = Do not consume or use 2 = Consume or use weekly
1 = Consume or use 2-3 times/month 3 = Consume or use daily

DIET

- | | | |
|--|----------------------------------|--------------------------------------|
| 1. _____ Alcohol | 8. _____ Coffee | 15. _____ Refined flour/ Baked goods |
| 2. _____ Artificial sweeteners | 9. _____ Eat fast food regularly | 16. _____ Refined sugar |
| 3. _____ Confectionary or other sweets | 10. _____ Fried foods | 17. _____ Vitamins and minerals |
| 4. _____ Fizzy drinks | 11. _____ Tinned meats/ hot dogs | 18. _____ Water, distilled |
| 5. _____ Nicotine Gum | 12. _____ Margarine | 19. _____ Water, tap |
| 6. _____ Cigarettes | 13. _____ Milk products | 20. _____ Water, well |
| 7. _____ Cigars/pipes | 14. _____ Non-herbal tea | 21. _____ Diet often |

LIFESTYLE

22. _____ Times you exercise per week (1 = once a week, 2 = 2-4 times/week, 3 = 5 times a week)
23. _____ Changed jobs (3= within last 2 months, 2= within last 6 months, 1= within last 12 months.)
24. _____ Divorced (3= within last 6 months, 2= within last year, 1= within last 2 years)
25. _____ Work over 60 hours/week (3= always, 2= usually, 1= occasionally, 0= never)

MEDICATIONS

Indicate with a checkmark or circle any medications you're currently taking or have taken in the last month:

- | | | | |
|-----------------------------|--------------------------------|----------------------------------|---------------------------------------|
| 26. _____ Antacids | 32. _____ Asthma inhalers | 38. _____ Oestrogen/Progesterone | 44. _____ Oral/implant contraceptives |
| 27. _____ Antibiotics | 33. _____ Beta blockers | 39. _____ Heart medications | 45. _____ Radiation exposure (x-rays) |
| 28. _____ Anticonvulsants | 34. _____ Chemotherapy | 40. _____ High blood pressure | 46. _____ Recreational drugs |
| 29. _____ Antidepressants | 35. _____ Cortisone | 41. _____ Hormone Therapy | 47. _____ Relaxants/Sleeping pills |
| 30. _____ Antifungals | 36. _____ Diabetic medications | 42. _____ Laxatives | 48. _____ Thyroid medication |
| 31. _____ Aspirin/Ibuprofen | 37. _____ Diuretics | 43. _____ Insulin | 49. _____ Paracetamol/acetaminophen |
| | | | 50. _____ Ulcer medications |

Other medications and dosages (if known): _____

PART II

Read the following questions and fill in the number that applies:

(How significant is the symptom? How true is the statement? 0 means not at all, 3 means extremely true.)

KEY: 0 (or leave blank) = No or Do not have the symptom, the symptom does not occur
1 = Yes or It is a minor or mild symptom or it rarely occurs (once a month or less)
2 = It is a moderate symptom or it occasionally occurs (weekly)
3 = It is a severe symptom or it frequently occurs (daily)

Section 1

- | | |
|--|--|
| 51. _____ Belching or gas within 1 hr. of a meal | 60. _____ Do you feel like skipping breakfast? |
| 52. _____ Heartburn or acid reflux | 61. _____ Do you feel better if you don't eat? |
| 53. _____ Bloating shortly after eating | 62. _____ Sleepy after meals |
| 54. _____ Are you a vegan (no dairy, meat, fish or eggs) | 63. _____ Fingernails chip, peel or break easily |
| 55. _____ Bad breath (halitosis) | 64. _____ Anaemia unresponsive to iron |
| 56. _____ Loss of taste for meat | 65. _____ Stomach pains or cramps |
| 57. _____ Sweat has a strong odour | 66. _____ Diarrhoea, chronic |
| 58. _____ Stomach upset by taking vitamins | 67. _____ Diarrhoea shortly after meals |
| 59. _____ Sense of excess fullness after meals | 68. _____ Black or tarry stools |
| | 69. _____ Undigested food in stool |

Nutritional Assessment Questionnaire

Section 2

- | | |
|---|--|
| <p>70. ___ Pain between shoulder blades</p> <p>71. ___ Stomach upset by greasy foods</p> <p>72. ___ Greasy or shiny stools</p> <p>73. ___ Nausea</p> <p>74. ___ Sea, car or airplane sickness, motion sickness</p> <p>75. ___ History of morning sickness (1 = yes, 0 = no)</p> <p>76. ___ Light or clay coloured stools</p> <p>77. ___ Dry skin, itchy feet and/or skin peels on feet</p> <p>78. ___ Headache over the eye</p> <p>79. ___ Gallbladder attacks (past or present)</p> <p>80. ___ Gallbladder removed (1 = yes, 0 = no)</p> <p>81. ___ Bitter taste in mouth, especially after meals</p> <p>82. ___ Become sick if drinking wine</p> <p>83. ___ If drinking alcohol, easily intoxicated</p> | <p>84. ___ Alcoholic beverages per week (0 = < 3/ week, 1 = < 7/ week, 2 = < 14/ week, 3 = > 14/week)</p> <p>85. ___ Recovering alcoholic (1 = yes, 0 = no)</p> <p>86. ___ Hangovers after drinking alcohol</p> <p>87. ___ History of drug or alcohol abuse (1 = yes, 0 = no)</p> <p>88. ___ History of hepatitis (1 = yes, 0 = no)</p> <p>89. ___ Long term use of prescription medications (1 = yes, 0 = no)</p> <p>90. ___ Sensitive to chemicals (perfume, cleaning solvents, insecticides, exhaust, etc.)</p> <p>91. ___ Sensitive to tobacco smoke</p> <p>92. ___ Exposure to diesel fumes</p> <p>93. ___ Pain under right side of rib cage</p> <p>94. ___ Haemorrhoids or varicose veins</p> <p>95. ___ Nutrasweet (aspartame) consumption</p> <p>96. ___ Bothered by aspartame (NutraSweet)</p> <p>97. ___ Chronic fatigue or Fibromyalgia</p> |
|---|--|

Section 3

- | | |
|--|--|
| <p>98. ___ Food allergies</p> <p>99. ___ Abdominal bloating 1 to 2 hours after eating</p> <p>100. ___ Specific foods make you tired or bloated (1 = yes, 0 = no)</p> <p>101. ___ Pulse speeds after eating</p> <p>102. ___ Airborne allergies</p> <p>103. ___ Experience hives</p> <p>104. ___ Sinus congestion, "stuffy head"</p> <p>105. ___ Crave bread or noodles</p> <p>106. ___ Alternating constipation and diarrhoea</p> | <p>107. ___ Crohn's disease (1 = yes, 0 = no)</p> <p>108. ___ Wheat or grain sensitivity</p> <p>109. ___ Dairy sensitivity</p> <p>110. ___ Are there foods you could not give up (1 = yes, 0 = no)</p> <p>111. ___ Asthma, sinus infections, stuffy nose</p> <p>112. ___ Bizarre vivid or nightmarish dreams</p> <p>113. ___ Use over-the-counter pain medications</p> <p>114. ___ Feel spaced out or unreal</p> |
|--|--|

Section 4

- | | |
|--|--|
| <p>115. ___ Anus itches</p> <p>116. ___ Coated tongue</p> <p>117. ___ Feel worse in moldy or musty place</p> <p>118. ___ Taken any antibiotic for a combined time of (1 = < 1 mo., 2 = < 3 mos., 3 = > 3 mos.)</p> <p>119. ___ Fungus or yeast infections</p> <p>120. ___ Ring worm, "jock itch", "athlete's foot", nail fungus</p> <p>121. ___ Eating sugar, starch or drinking alcohol increases yeast symptoms</p> <p>122. ___ Stools hard or difficult to pass</p> <p>123. ___ History of parasites (1 = yes, 0 = no)</p> | <p>124. ___ Less than one bowel movement per day</p> <p>125. ___ Stools have corners or edges are flat or ribbon shaped</p> <p>126. ___ Stools are not well formed (loose)</p> <p>127. ___ Irritable bowel or mucus colitis</p> <p>128. ___ Blood in stool</p> <p>129. ___ Mucus in stool</p> <p>130. ___ Excessive foul smelling lower bowel gas</p> <p>131. ___ Bad breath or strong body odours</p> <p>132. ___ Painful to press along outer sides of thighs (Iliacibial Band)</p> <p>133. ___ Cramping in lower abdominal region</p> <p>134. ___ Dark circles under eyes</p> |
|--|--|

Section 5

- | | |
|---|---|
| <p>135. ___ History of Carpal Tunnel Syndrome (1 = yes, 0 = no)</p> <p>136. ___ History of lower right abdominal pain (1 = yes, 0 = no)</p> <p>137. ___ History of stress fractures</p> <p>138. ___ Bone loss (reduced density on bone scan)</p> <p>139. ___ Are you shorter than you used to be? (1 = yes, 0 = no)</p> <p>140. ___ Calf, foot or toe cramps at rest</p> <p>141. ___ Cold sores, fever blisters or herpes lesions</p> <p>142. ___ Frequent fevers</p> <p>143. ___ Frequent skin rashes and / or hives</p> <p>144. ___ Have you ever had a herniated disc? (1 = yes, 0 = no)</p> <p>145. ___ Excessively flexible joints, "double jointed"</p> <p>146. ___ Joints pop or click</p> <p>147. ___ Pain or swelling in joints</p> <p>148. ___ Bursitis or tendonitis</p> <p>149. ___ History of bone spurs (1 = yes, 0 = no)</p> | <p>150. ___ Morning stiffness</p> <p>151. ___ Vomiting or nausea</p> <p>152. ___ Crave chocolate</p> <p>153. ___ Feet have a strong odour</p> <p>154. ___ Tendency to anaemia</p> <p>155. ___ Whites of eyes (sclera) are blue tinted</p> <p>156. ___ Hoarseness</p> <p>157. ___ Difficulty swallowing</p> <p>158. ___ Lump in throat</p> <p>159. ___ Dry mouth, eyes and / or nose</p> <p>160. ___ Gag easily</p> <p>161. ___ White spots on fingernails</p> <p>162. ___ Cuts heal slowly and / or scar easily</p> <p>163. ___ Decreased sense of taste or smell</p> |
|---|---|

Key: 0 (or leave blank) = No or Do not have symptom, symptom does not occur
 1 = Yes or Minor or mild symptom (once a month or less)

2 = Moderate symptom, occurs occasionally (weekly)
 3 = Severe symptom, frequently occurs (daily)

Nutritional Assessment Questionnaire

Section 6

- | | |
|--|---|
| 164. ___ Aspirin is an effective pain reliever (1 = yes, 0 = no) | 168. ___ Headaches when out in the hot sun |
| 165. ___ Crave fatty or greasy foods | 169. ___ Sunburn easily or suffer sun poisoning |
| 166. ___ Low or reduced fat diet (past or present) | 170. ___ Muscles easily fatigued |
| 167. ___ Tension headaches at base of skull | 171. ___ Dry flaky skin and/or dandruff |

Section 7

- | | |
|---|---|
| 172. ___ Awaken a few hours after falling asleep, hard to get back to sleep | 179. ___ Fatigue that is relieved by eating |
| 173. ___ Crave sweets | 180. ___ Headache if meals are skipped or delayed |
| 174. ___ Eat desserts or sugary snacks | 181. ___ Irritable before meals |
| 175. ___ Binge or uncontrolled eating | 182. ___ Shaky if meals delayed |
| 176. ___ Excessive appetite | 183. ___ Family members with diabetes (0 = none, 1 = 2 or less, 2 = Between 2 - 4, 3 = More than 4) |
| 177. ___ Crave coffee or sugar in the afternoon | 184. ___ Frequent thirst |
| 178. ___ Sleepy in afternoon | 185. ___ Frequent urination |

Section 8

- | | |
|--|---|
| 186. ___ Muscles become easily fatigued | 200. ___ Can hear heart beat on pillow at night |
| 187. ___ Feel worse, sore after moderate exercise | 201. ___ Whole body or limb jerk as falling asleep |
| 188. ___ Vulnerable to insect bites | 202. ___ Night sweats |
| 189. ___ Loss of muscle tone, heaviness in arms / legs | 203. ___ Restless leg syndrome |
| 190. ___ Enlarged heart, or heart failure | 204. ___ Cheilosis (cracks at corner of mouth) |
| 191. ___ Pulse slow / below 65 (1 = yes, 0 = no) | 205. ___ Fragile skin, easily chafed, as in shaving |
| 192. ___ Ringing in the ears / Tinnitus | 206. ___ Polyps or warts |
| 193. ___ Numbness, tingling or itching in extremities | 207. ___ MSG sensitivity |
| 194. ___ Depressed | 208. ___ Wake up without remembering dreams |
| 195. ___ Fear of impending doom | 209. ___ Take birth control pills |
| 196. ___ Worrier, apprehensive, anxious | 210. ___ Small bumps on back of arms |
| 197. ___ Nervous or agitated | 211. ___ Strong light at night irritates eyes |
| 198. ___ Feelings of insecurity | 212. ___ Nose bleeds and / or tend to bruise easily |
| 199. ___ Heart races | 213. ___ Bleeding gums especially when brushing teeth |

Section 9

- | | |
|--|---|
| 214. ___ Tend to be a "night person" | 227. ___ Arthritic tendencies |
| 215. ___ Difficulty falling asleep | 228. ___ Crave salty foods |
| 216. ___ Slow starter in the morning | 229. ___ Salt foods before tasting |
| 217. ___ Keyed up, trouble calming down | 230. ___ Perspire easily |
| 218. ___ High blood pressure (normal 120/80) | 231. ___ Chronic fatigue, or get drowsy often |
| 219. ___ Headache after exercising | 232. ___ Afternoon yawning |
| 220. ___ Feeling wired or jittery if drinking coffee | 233. ___ Afternoon headache |
| 221. ___ Clench or grind teeth | 234. ___ Asthma, wheezing or difficulty breathing |
| 222. ___ Calm on the outside, troubled inside | 235. ___ Pain on the medial or inner side of the knee |
| 223. ___ Chronic low back pain, worse with fatigue | 236. ___ Tendency to sprain ankles or "shin splints" |
| 224. ___ Become dizzy when standing up suddenly | 237. ___ Tendency to need to wear sunglasses |
| 225. ___ Difficult maintaining manipulative correction | 238. ___ Allergies and / or hives |
| 226. ___ Pain after manipulative correction | 239. ___ Weakness, dizziness |

Section 10

- | | |
|---|--|
| 240. ___ Over 6' 6" tall (Mature height) | 246. ___ Under 4' 10" (Mature height) |
| 241. ___ Early sexual development (before age 10) (1 = yes, 0 = no) | 247. ___ Decreased libido |
| 242. ___ Increased libido | 248. ___ Abnormal thirst |
| 243. ___ Splitting type headache | 249. ___ Weight gain around hips or waist |
| 244. ___ Memory failing | 250. ___ Menstrual disorders |
| 245. ___ Ability to tolerate sugar | 251. ___ Delayed (after age 13) sexual development (1 = yes, 0 = no) |
| | 252. ___ Tendency to ulcers or colitis |

Key: 0 (or leave blank) = No or Do not have symptom, symptom does not occur
1 = Yes or Minor or mild symptom (once a month or less)

2 = Moderate symptom, occurs occasionally (weekly)
3 = Severe symptom, frequently occurs (daily)

Nutritional Assessment Questionnaire

Section 11

253. ___ Allergic to iodine
254. ___ Difficultly gaining weight, even with large appetite
255. ___ Nervous, emotional, can't work under pressure
256. ___ Inward trembling
257. ___ Flush easily
258. ___ Fast pulse at rest
259. ___ Intolerance to high temperatures
260. ___ Difficulty losing weight
261. ___ Mentally sluggish, reduced initiative
262. ___ Easily fatigued, sleepy during the day
263. ___ Sensitive to cold, poor circulation (cold hands and feet)
264. ___ Constipation, chronic
265. ___ Excessive hair loss and / or coarse hair
266. ___ Morning headaches, wear off during the day
267. ___ Loss of lateral 1/3 of eyebrow
268. ___ Seasonal sadness

Section 12 – Men Only

269. ___ Prostate problems
270. ___ Urination difficult or dribbling
271. ___ Difficult to start and stop urine stream
272. ___ Pain or burning with urination
273. ___ Waking to urinate at night
274. ___ Interruption of stream during urination
275. ___ Pain on inside of legs or heels
276. ___ Feeling of incomplete bowel evacuation
277. ___ Decreased sexual function

Section 13 – Women Only

278. ___ Depression during periods
279. ___ Mood swings associated with periods (PMS)
280. ___ Crave chocolate around periods
281. ___ Breast tenderness associated with cycle
282. ___ Excessive menstrual flow
283. ___ Scanty blood flow during periods
284. ___ Occasional skipped periods
285. ___ Variations in menstrual cycles
286. ___ Endometriosis
287. ___ Uterine fibroids
288. ___ Breast fibroids, benign masses
289. ___ Painful intercourse (dyspareunia)
290. ___ Vaginal discharge
291. ___ Vaginal dryness
292. ___ Vaginal itchiness
293. ___ Gain weight around hips, thighs and buttocks
294. ___ Excess facial or body hair
295. ___ Hot flashes
296. ___ Night sweats (in menopausal females)
297. ___ Thinning skin

Section 14

298. ___ Aware of heavy and / or irregular breathing
299. ___ Discomfort at high altitudes
300. ___ "Air hunger" and / or yawn frequently
301. ___ Compelled to open windows in a closed room
302. ___ Shortness of breath with moderate exertion
303. ___ Ankles swell, especially at end of day
304. ___ Cough at night
305. ___ Blush or face turns red for no reason
306. ___ Dull pain or tightness in chest and / or radiate into right arm, worse with exertion
307. ___ Muscle cramps with exertion

Section 15

308. ___ Pain in mid back region
309. ___ Dark circles under eyes and / or puffy eyes
310. ___ History of kidney stones (1 = yes, 0 = no)
311. ___ Cloudy, bloody or darkened urine
312. ___ Urine has a strong odour

Section 16

313. ___ Runny or drippy nose
314. ___ Catch colds at the beginning of winter
315. ___ Mucus producing cough
316. ___ Frequent infections (ear, sinus, lung, skin, bladder, kidney, etc.)
317. ___ Frequent colds or flu
318. ___ Never get sick (3 = not in last 7 yrs., 2 = not in last 4 yrs., 1 = not in last 2 yrs.)
319. ___ Acne (adult)
320. ___ Itchy skin / dermatitis
321. ___ Cysts, boils, rashes
322. ___ History of Epstein Bar, Mono, Herpes, Shingles, Chronic Fatigue, Hepatitis or other chronic viral condition (1 = yes, 0 = no)

Key: 0 (or leave blank) = No or Do not have symptom, symptom does not occur
1 = Yes or Minor or mild symptom (once a month or less)

2 = Moderate symptom, occurs occasionally (weekly)
3 = Severe symptom, frequently occurs (daily)